




# TYRANT SERIES HYDRAULIC ROTARY BRUSH CUTTERS

LAND CLEARING MACHINES, POWERFUL AND VERSATILE ENOUGH TO CUT THROUGH OVERGROWN BRUSH, TREES AND DENSE TERRAIN



1160 CAL COURT, LENOIR, NORTH CAROLINA 28645 USA www.ConstructionAttachments.com • sales@calmfg.com (828) 758-2674 • (828) 754-1887 fax

# CONSTRUCTION ATTACHMENTS, INC.

## HYDRAULIC ROTARY BRUSH CUTTERS FOR SKID STEERS

#### **PRODUCT FEATURES:**

- Replaceable AR400 skid shoes
- One piece top deck design for strength and structural durability
- 5/8" thick serrated blade carrier
- Fully welded bolt protector on blade carrier
- · Heavy duty brush guard
- Motor does not require drain lines

Available jumper hose lengths: 8 ft, and 10 ft



Blade Carrier Shown with optional Bolt-on Mulching Teeth

Available with or without Bolt-on Mulching Teeth;

Models without Bolt-on Mulching Teeth:

blades are bi-directional





	-			Cutting				Oil Flow		
		# of	Blade	Blade	Capacity	True Cut	Min. Cut	Required	Tip Speed	Est Weight
Item #	Description	Blades	Length	Width	Diameter	Width	Height	GPM	FPM	(lbs)
1BCSS60	60" Skid Steer Standard Flow			6"	8"	60"	2"	16-25	7,700-13,600	1626
1BCSS60T	60" Skid Steer Standard Flow with Teeth									1636
1BCSS72	72" Skid Steer Standard Flow	٠,	14 2/0"			72"				1964
1BCSS72T	72" Skid Steer Standard Flow with Teeth	3	14-3/8"							1985
1BCSS72HF	72" Skid Steer High Flow							24-45	7,700-14,600	1994
1BCSS72HFT	72" Skid Steer High Flow with Teeth									2004

### **MULCHING TEETH PRODUCT FEATURES:**

- 5/8" thick serrated blade carrier
- 5/8" x 1-1/2" long shank mulching teeth
- 12 teeth per carrier both 60" and 72" models
- Carbide tip cutting surface: 1/2"
- Carbide tip cutting depth: 7/8"
- Wire guard installed for gear box seal protection



Replacement Mulching Teeth



1160 CAL COURT, LENOIR, NORTH CAROLINA 28645 USA www.ConstructionAttachments.com • sales@calmfg.com (828) 758-2674 • (828) 754-1887 fax

# CONSTRUCTION ATTACHMENTS, INC.

### HYDRAULIC ROTARY BRUSH CUTTERS FOR MINI SKID STEERS

#### **PRODUCT FEATURES:**

One piece top deck design for strength and structural durability

• 1/2" thick serrated blade carrier

• Recessed carrier design for bolt head protection

· Fully welded bolt protector on blade carrier

Heavy duty brush guard

Available with Bobcat MT or Mini Universal Hitch (Dingo)

42" models have a two (2) blade cutting system

48" models have three (3) blade cutting system

41cc piston type motor (does not require a drain line)

Available jumper hose lengths: 6 ft, 8 ft, and 10 ft





Blade carrier for 42" Mini cutter (wire guard for gear box seal protection)

						Cutting		Min.	Oil Flow		Est
			# of	Blade	Blade	Capacity	True Cut	Cut	Required	Tip Speed	Weight
	Item#	Description	Blades	Length	Width	Diameter	Width	Height	GPM	FPM	(lbs)
	1BCMN42	42" Mini Skid Steer Brush Cutter	2	11.94"	C"	4"	42"	2.5"	10-18	11,000-	521
Γ	1BCMN48	48" Mini Skid Steer Brush Cutter	3		6"		48"			18,000	628





1160 CAL COURT, LENOIR, NORTH CAROLINA 28645 USA www.ConstructionAttachments.com • sales@calmfg.com (828) 758-2674 • (828) 754-1887 fax

# CONSTRUCTION ATTACHMENTS, INC.

### HYDRAULIC ROTARY BRUSH CUTTERS FOR COMPACT EXCAVATORS

### **PRODUCT FEATURES:**

- 1/2" thick blade carrier
- 1/4" deck with 1/2" reinforcement
- Recessed carrier design for bolt head protection
- · Fully welded bolt protector on blade carrier
- 42" models have a two (2) blade cutting system
- 48" models have three (3) blade cutting system
- 41cc piston type motor (does not require a drain line)
- Available jumper hose lengths: 6 ft, 8 ft, and 10 ft



				Cutting			Oil Flow			Est
		# of	Blade	Blade	Capacity	True Cut	Min. Cut	Required	Tip Speed	Weight
Item#	Description	Blades	Length	Width	Diameter	Width	Height	GPM	FPM	(lbs)
1BCEX42-41QC	Brush Cutter 42" Compact Excavator 41cc Motor	1	11.94"	6"	6"	42"	1"	10-18	11,000- 18,000	655
1BCEX42-63QC	Brush Cutter 42" Compact Excavator 63cc Motor	3						19-29		670
1BCEX48-41QC	Brush Cutter 48" Compact Excavator 41cc Motor					48"		10-18		728
1BCEX48-63QC	Brush Cutter 48" Compact Excavator 63cc Motor							19-29		743







Blade carrier for 48" cutter (wire guard for gear box seal protection)